

NOTES:


- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
OR 6061-T6/T62 ALUMINUM SHEET
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC M6061T6B OR M6061T6S
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 6.55 lbs
- 8) MASK HOLES PRIOR TO POWDER COAT
- 9) UNDEFINED FEATURES CONTROLLED BY CAD FILE D5550-3 REV. A.SLDPRT

D5550-3 AFT OUTBOARD BEAM

WORK IN PROGRESS

DESIGN	RF	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	RF		
CHECKED	WK	DRAWING NO. D5550	REV. A1 SHEET 4 OF 5
MFG. APPR.	RQ	TITLE FWD/AFT OUTBRD BEAM ASSY NTS	
APPROVED			
DE APPR.		DATE 17.07.24	
DATE			

COPYRIGHT © 2017 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.



WORK IN PROGRESS

DESIGN	RF	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	RF		
CHECKED	WK	DRAWING NO.	REV. A1
MFG. APPR.	RQ	D5550	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		FWD/AFT OUTBRD BEAM ASSY	NTS
DATE	17.07.24	COPYRIGHT © 2017 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	